



# 3415

## FLEXIBLE NEOPRENE GAUNTLET WITH A ROUGH-TEXTURED FINISH

The pinnacle of protection, comfort and dexterity. The SHOWA 3415 creates a defensive barrier against a range of chemicals, including acids, caustics, solvents, grease and oil.

### FEATURES

- › Fully coated neoprene gauntlet
- › Flexible neoprene coating provides great comfort and dexterity
- › Rough textured finish offers enhanced grip and good resistance to abrasion
- › Level 3 abrasion resistance (EN388: 2003)
- › Protects against a wide variety of chemicals including acids, caustics, solvents, grease and oil
- › 15 gauge seamless polyester liner helps to prevent irritation
- › Length: 35.5cm



### SUITABLE FOR





#### Typical Industries

- Automotive
- Chemical
- Offshore
- Oil and Gas
- Petrochemicals
- Transport

#### Applications

- Chemical Handling
- Handling Oily Components
- Refining

### CERTIFICATION

 CAT III 0321	 EN388: 2003 3031	 EN374-2: 2003	 EN374-3: 2003 J K L	<ul style="list-style-type: none"> <li>J - N-HEPTANE 0 1 2 3 <b>4</b> 5 6</li> <li>K - SODIUM HYDROXIDE 40% 0 1 2 3 4 5 <b>6</b></li> <li>L - SULPHURIC ACID 96% 0 1 <b>2</b> 3 4 5 6</li> </ul>
--	---	--	---	--

See overleaf for explanation





# 3415

## PRODUCT INFORMATION

MATERIALS	LINER:	Polyester
	COATING:	Neoprene
COLOUR	Black	
LENGTH (mm)	355	
CUFF STYLE	Gauntlet	

## ORDERING DETAILS

SIZE	CODE	PACKAGING
8/S	SHO34151	12 pairs per bag 72 pairs per case
9/M	SHO34152	
10/L	SHO34153	
11/XL	SHO34154	

## RECOMMENDATIONS FOR USE

- Store away from light and humidity
- Rinse the gloves in running water before removing, using a neutral detergent if necessary
- Do not wear gloves when there is a risk of entanglement by moving parts of machines.

## CERTIFICATION LEGENDS



MECHANICAL  
HAZARDS  
EN 388

### PERFORMANCE LEVELS

0-4    0-5    0-4    0-4

Abrasion Resistance  
Blade Cut Resistance  
Tear Resistance  
Puncture Resistance



SPECIFIC CHEMICAL  
PROTECTION  
EN 374

### LETTER CODE

A	Methanol	G	Diethylamine
B	Acetone	H	Tetrahydrofurane
C	Acetonitrile	I	Ethyl acetate
D	Dichloromethane	J	n-Heptane
E	Carbon Disulfide	K	Sodium hydroxide 40%
F	Toluene	L	Sulphuric acid 96%



MICRO-ORGANISMS  
EN 374

## ABOUT GLOBUS

World leader in protecting hands, Globus serves organisations with bespoke hand protection solutions built from a professional range of high performance protective gloves.

Globus is proud to offer bespoke solutions that deliver robust commercial benefits not just safety improvements. We have an enviable track record in helping to reduce hand accident rates whilst delivering improved comfort and productivity as well as waste and cost reductions.

Globus applies its expertise across a spectrum of industries, meeting and exceeding a diverse range of hand protection requirements; from the rigorous demands of the petrochemical and construction industries to the complexities of clean room and aerospace manufacturing.

Find out why leading companies rely on a solution from Globus to help implement a comprehensive hand protection policy. Contact us today.

### UK AND IRELAND

[www.globus.co.uk](http://www.globus.co.uk)

**E:** [sales@globus.co.uk](mailto:sales@globus.co.uk)  
**T:** +44 (0)161 877 4747  
**F:** +44 (0)161 877 4746

### MIDDLE EAST AND AFRICA

[www.globusgroup.com/gcc](http://www.globusgroup.com/gcc)

**E:** [gcc@globusgroup.com](mailto:gcc@globusgroup.com)  
**T:** +971 4 882 9962  
**F:** +971 4 882 9963



Globus (Shetland) Ltd, 14 Central Park, Mosley Road, Trafford Park, Manchester, M17 1NY, UNITED KINGDOM  
Globus EMEA FZE, UA03, 831st Street, Jebel Ali, Dubai, UNITED ARAB EMIRATES

© 2017 Globus (Shetland) Ltd | GLOBUS-SHOWA-DATA-3415-0217\_1